EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	uddi adj object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:05
L2	98	uddi and uuid	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:09
L3	29	uddi with directory and uuid	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:09
L6	48	uddi and uuid with (generat$3 creat$3 new assign$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:17
L8	4	entry with uuid and directory adj server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L9	104	entry with (uuid (unique global) adj identifier) and directory adj server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L10	303	entry with (uuid (unique global) adj identifier) and (ldap directory with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L11	67	entry with (uuid (unique global) adj identifier) with (creat$4 generat$4) and (ldap directory with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L12	633	(719/330).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/17 15:20

L13	722	(719/316).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/17 15:20
L14	1179	(719/315).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/17 15:20
L15	52	object near3 (key reference identifier) with (generat$3 creat$3) with (pre$define$1 define$1 default) and (web adj service uuid universal$4 adj unique global$3 adj unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L16	161	object near3 (key reference identifier) with (generat$3 creat$3) same (uuid unique adj identifier global$3 adj unique guid) and (web adj service web adj server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L17	196	object near3 (key reference identifier) near5 (generat$3 creat$3 assign$3 assignment) and (web adj service) and (uuid unique adj identifier guid global adj identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20
L18	100	(object unique) near3 (key reference identifier) near5 (generat$3 creat$3 assign$3 assignment) same (web adj service)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:20

| L19 | 252 | object adj (key identifier reference) with (generat$3 creat $3) same (default pre$defin$2 exist $3) with (key identifier reference) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 15:20 |
| L20 | 416 | object adj (key identifier reference) with (generat$3 creat $3) same (default pre$defin$2 exist $3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 15:20 |

2/17/09 3:25:01 PM
C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\10648580b.wsp